



Hammond Power Solutions

MONTERREY, MX GUELPH, ONT. BARABOO, WI COMPTON, CA




HPS EXPRESS™ L
TRANSFORMADOR TIPO SECO BARNIZADO
VARNISHED DRY TYPE TRANSFORMER

Modelo Part Number	EL1A0112MCAC
No. de Serie Serial Number	

AT/HV	480V 135A	Ref. de Cliente Customer Reference	
NBAI BIL	-	Fase Phase	3
TERM.	H1 H2 H3	Tipo TYPE	K
		Enfriamiento Cooling	ANN
		kVA	112.5
		Incremento de Temp. Temp. Rise	150 °C
		Clase de Temp. Temp. Class	220 °C
		Frecuencia Frequency	60 Hz
		Impedancia % Impedance % @ 170 °C	5.9
		Tipo de Gabinete Encl. Type	3R
BT/LV	220Y/127V 295A	Masa Del Núcleo Y Devanados lbs/kg C&C Wt.	580/264
NBAI BIL	-	Masa Total Total Wt. lbs/kg	675/307
TERM.	X0 X1 X2 X3	Material de Conductores de Devanados Winding Material	AL

VOLTIOS VOLTS	CORRIENTE CURRENT AMPS	% VOLTAJE NOMINAL % RATED VOLTAGE	CONEXIÓN POR FASE CONNECTION
504	129	105	1
480	135	100	2
460	141	96	3
440	148	92	4
418	155	87	5



SPACINGS BETWEEN ANY VENTILATED ENCLOSURE PANEL AND ANY ADJACENT WALL SHALL BE A MINIMUM OF 5 INCHES EXCEPT WHEN WALL MOUNTED USING APPROVED WALL MOUNTING KIT

d00022.1sp

FABRICADO EN/MADE IN MÉXICO



Hammond Power Solutions Inc.



TITLE: 3PH DISTRIBUTION TRANSFORMER
NAMEPLATE INFORMATION

				DES: PPICASSI
				DATE: 22/07/12
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 2

EDBEL1A0112MCAC


21/07/2022 15:27 ppicassi




All Dimensions in inches[mm]

ENCLOSURE COLOR :ANSI 61 GREY – OUTDOOR


HV TERMINAL DETAIL



LV TERMINAL DETAIL



X0 TERMINAL DETAIL



CUSTOMER NOTES:

- HV TERMINATED AT TOP FRONT
- LV TERMINATED AT BOTTOM FRONT
- X0 TERMINATED AT BOTTOM FRONT



TITLE: 3PH DISTRIBUTION TRANSFORMER

				DES: PPICASSI
				DATE: 22/07/12
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 2 OF 2

EDBELIA0112M/CAC